



Modified Form PTO-1449

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

Atty. Docket No.

A-988A

Serial No.

10/591,214

Applicant

Akerman et al.

Filing Date

August 28, 2006

Group

Unassigned

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION
							YES NO
	D1	WO 04/092117 A1	28 Oct 2004	PCT			
	D2	WO 05/051890 A1	9 Jun 2005	PCT			
	D3	WO 05/058848 A1	30 Jun 2005	PCT			
	D1	WO 05/063725 A1	14 Jul 2005	PCT (English Abstract included)			x
	D5	WO 05/063729 A1	14 Jul 2005	PCT			
	D6	WO 05/087710 A1	22 Sep 2005	PCT (English Abstract included)			x
	D7	WO 06/001092 A1	5 Jan 2006	PCT (English Abstract included)			x
	D8	WO 06/011615 A1	2 Feb 2006	PCT (English Abstract included)			x
	D9	WO 06/083612 A1	10 Aug 2006	PCT			
	D10	WO 06/083781 A1	10 Aug 2006	PCT			

OTHER DOCUMENTS (Including Publisher, Author, Title, Date, Pertinent Pages, Etc.)

C1	Bachmann, et al., "The Synthesis of an Analog of the Sex Hormones", <i>Jnl. Amer. Chem. Soc.</i> , 64: 94-97 (1942).
C2	Berthelot, et al., "Synthesis and Pharmacological Evaluation of γ -Aminobutyric Acid Analogues. New Ligand for GABA _A Sites", <i>Jnl. Med. Chem.</i> , 30: 743-746 (1987).
C3	Boyle, et al., "Applications of the spiroannulation of tetralins with alkynes; towards new anti-estrogenic compounds", <i>Jnl. Chem. Soc., Perkin Trans. Org. and Bioorg. Chem.</i> , 18: 2707-2711 (1997).
C4	Briscoe, et al., "The Orphan G Protein-Coupled Receptor GPR40 Is Activated by Medium and Long Chain Fatty Acids", <i>Jnl. of Biol. Chem.</i> , 278: 11303-11311 (2003).
C5	Briscoe, et al., "Pharmacological regulation of insulin secretion in MIN6 cells through the fatty acid receptor GPR40: identification of agonist and antagonist small molecules", <i>Brit. Jnl. of Pharm.</i> , 148: 619-628 (2006).
C6	Burnop, et al., "Fused Carbon Rings. Part XIX. Experiments on the Synthesis of Tetracyclic Compounds of the Sexual Hormonal Type", <i>Jnl. Chem. Soc.</i> , 727-735 (1940).
C7	Chatterjee, et al., "Studies on Nucleophilic Ring Opening of Some Epoxides in Polar Protic Solvents", <i>Tetr.</i> , 33: 85-94 (1977).
C8	Collins, et al., "The Structure and Function of Oestrogens. IX. Synthesis of the <i>trans</i> Isomer of 5,5,10b-Trimethyl-4b,5,6,10b,11,12-hexahydrochrysene-2,8-diol", <i>Aust. Jnl. Chem.</i> , 41: 735-744 (1988).


EXAMINER:

Zinna Davis/ (11/17/2009)

Date Considered:

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /ZD/



Modified Form PTO-1449	Atty. Docket No. A-988A	Serial No. 10/591,214
LIST OF REFERENCES CITED BY APPLICANT		
(Use several sheets if necessary)		
Applicant Akerman et al.	Filing Date August 28, 2006	Group Unassigned


C9	Deb, et al., "A Stereocontrolled Synthesis of (1'RS,2'SR)-3-Oxo-3',4'-dihydrospiro[cyclopentane-1,1'(2'H)-naphthalen]-2-ylacetic Acid and its Methoxy Analogues", <i>Jnl. Chem. Res. S.</i> , 12 : 406 (1985).
C10	DeWolf, et al., "Inactivation of Dopamine β -Hydroxylase by β -Ethynyltyramine: Kinetic Characterization and Covalent Modification of an Active Site Peptide", <i>Biochem.</i> , 28 : 3833-3842 (1989).
C11	Egan, et al., "Naphthalenes as inhibitors of myeloperoxidase: Direct and indirect mechanisms of inhibition", <i>Agents and Actions</i> , 29 3/4, 266-276 (1990).
C12	Frey, et al., "Total Synthesis of Pentacyclic Diterpenoid Tropone Hainanolidol," <i>Aust. Jnl. Chem.</i> , 53 : 819-830 (2000).
C13	Galemno, et al., "The Development of a Novel Series of (Quinolin-2-ylmethoxy) phenyl-Containing Compounds as High-Affinity Leukotriene Receptor Antagonists. 3. Structural Variation of the Acidic Side Chain To Give Antagonists of Enhanced Potency", <i>Jnl. Med. Chem.</i> , 33 : 2828-2841 (1990).
C14	Garrido, et al., "Synthesis and activity of small molecule GPR40 agonists," <i>Bioorg. and Med. Chem. Lett.</i> , 16 : 1840-1845 (2006).
C15	Ghosal, et al., "Stereospecific Synthesis of 9b β -Carbomethoxy-7-Methoxy-2,3,3a α ,4,5,9b β -Hexahydro-1H-Benz[e]Inden-2-one; An Intermediate Towards Physiologically Active Compounds," <i>Tet. Lett.</i> , 17 : 1463-1464 (1977).
C16	Guthrie, et al., "Synthesis in the Series of Diterpene Alkaloids VI. A Simple Synthesis of Atisine," <i>Tet. Lett.</i> , 38 : 4645-4654 (1966).
C17	Haigh, et al., "Non-thiazolidinedione Antihyperglycaemic Agents. Part 3: The Effects of Stereochemistry on the Potency of α -Methoxy- β -phenylpropanoic Acids," <i>Bioorg. & Med. Chem.</i> , 7 : 821-830 (1999).
C18	Hares, et al., "Synthetic Studies of Tricyclospirodienones; Model Chemistry for Novel Mimics of Steroid Substrates", <i>Jnl. Chem. Soc. Perkin Trans. I: Org. and Bioorg. Chem.</i> , 13 1481-1492 (1993).
C19	Iizuka, et al., " β -Substituted Phenethylamines as High Affinity Mechanism-Based Inhibitors of Dopamine β -Hydroxylase", <i>Jnl. Med. Chem.</i> , 31 : 704-706 (1988).
C20	Ishikawa, et al., "Actions of the novel oral antidiabetic agent HQL-975 in insulin-resistant non-insulin-dependent diabetes mellitus model animals", <i>Diabetes Rsh. and Clin. Pract.</i> , 41 : 101-111 (1998).
C21	Ishikawa, et al., "Effects of the novel oral antidiabetic agent HQL-975 on Glucose and Lipid Metabolism in Diabetic db/db Mice," <i>Arzneim. Forsch. Drug Rsh.</i> , 48 (II): 245-250 (1998).
C22	Itoh, et al., "Free fatty acids regulate insulin secretion from pancreatic β cells through GPR40," <i>Nature</i> , 422 : 173-176 (2003).
C23	Johns, et al., "Total Synthesis of Estrajervatetraene," <i>Jnl. Org. Chem.</i> , 44 : 958-961 (1979).
C24	Kolasa, et al., "Symmetrical Bis(heteroarylmethoxyphenyl)alkylcarboxylic Acids as Inhibitors of Leukotriene Biosynthesis," <i>Jnl. Med. Chem.</i> , 43 : 3322-3334 (2000).
C25	Kotarsky, et al., "A human cell surface receptor activated by free fatty acids and thiazolidinedione drugs", <i>Biochem. and Biophys. Rsh. Comm.</i> , 301 : 406-410 (2003).
C26	Kuchar, et al., "Benzyloxyarylaliphatic Acids: Synthesis and Quantitative Relations Between Structure and Antiinflammatory Activity", <i>Collection Czech. Chem., Commun.</i> , 47 : 2514-2524 (1982).

EXAMINER: /Zinna Davis/ (11/17/2009)

Date Considered:

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /ZD/

Modified Form PTO-1449		Atty. Docket No. A-988A	Serial No. 10/591,214
 LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)		Applicant Akerman et al.	
		Filing Date August 28, 2006	Group Unassigned
C27	Kuchar, et al., "The Effects of Lopophilicity on the Inhibition of Denaturation of Serum Albumin and on the Activation of Fibrinolysis Observed with a Series of Benzylxoyarylaliphatic Acids", <i>Collection Czech. Chem. Commun.</i> , 48 : 1077-1088 (1983).		
C28	Lin, et al., "The Discovery of Acylated β -Amino Acids as Potent and Orally Bioavailable VLA-4 Antagonists", <i>Bioorg. & Med. Chem. Lett.</i> , 12 : 611-614 (2002).		
C29	Liu, et al., "Synthesis and Biological Activity of L-Tyrosine-based PPAR γ Agonists with Reduced Molecular Weight", <i>Bioorg. & Med. Chem. Lett.</i> , 11 : 3111-3113 (2001).		
C30	Nilsson, et al., "Identification of a free fatty acid receptor, FFA $_2$ R, expressed on leukocytes and activated by short-chain fatty acids", <i>Biochem. and Biophys. Res. Commun.</i> , 303 1047-1052 (2003).		
C31	Oliver, et al., "A selective peroxisome proliferator-activated receptor δ agonist promotes reverse cholesterol transport", <i>PNAS</i> , 98 : 5306-5311 (2001).		
C32	Poitout, V., "The ins and outs of fatty acids on the pancreatic β cell", <i>Trends in Endocrin. and Metab.</i> , 14 : 201-203 (2003).		
C33	Ray, et al., "Synthesis of Some Angularly Cyclopentanone Fused Hydrophenanthrene and Hydrofluorene Derivatives by Acid-Catalyzed Intramolecular C-Alkylation of γ , δ - Unsaturated α -Diazomethyl Ketones", <i>Synth. Commun.</i> , 21 : 1223-1242 (1991).		
C34	Sandberg, et al., "N-Aminoalkylsuccinimides as local anaesthetics", <i>Acta Pharmaceutica Suecica</i> , 17 : 169-176 (1980).		
C35	Sanyal, et al., "A Novel Synthesis of a Tricyclo (7.5.0 1,5 .0 1,9) Tetradecane Ring System Related to Gascardic Acid", <i>Tet. Lett.</i> , 25 : 2187-2190 (1978).		
C36	Sarma, et al., "Synthetic Studies on Terpenoids. Parts XVIII. 1,2 Stereocontrolled Synthesis of (\pm)-1,2,3,4,4a,9,10,10a-Octahydro-1a-methylphenanthrene-1 β ,4a β -dicarboxylic acid and the 7-Methoxy Analogue: A Potential Intermediate for Diterpenoid Syntheses", <i>Jnl. Chem. Soc. Perkin Trans. I: Organic and Bioorg. Chem.</i> , 7 : 722-727 (1976).		
C37	Sawzdargo, et al., "A Cluster of Four Novel Human G Protein-Coupled Receptor Genes Occurring in Close Proximity to CD22 Gene on Chromosome 19q13.1", <i>Biochem. and Biophys. Res. Commun.</i> , 239 : 543-547 (1997).		
C38	Shaw, et al., "Enantioselective Synthesis of (+)-(2S,3S)-3-Ethynyltyrosine", <i>Tet. Lett.</i> , 31 : 5081-5084 (1990).		
C39	Shiotani, et al., "Synthesis of 1,3-Bridged 1,2,3,4,5,6-Hexahydro-2,6-methano-3-benzazocine Derivatives", <i>Chem. Pharm. Bull.</i> , 28 : 1928-1931 (1980).		
C40	Wald, et al., "Constrained Amino Acids. An Approach to the Synthesis of 3-Substituted Prolines", <i>Tet. Lett.</i> , 37 : 4091-4094 (1996).		

EXAMINER: /Zinna Davis/ (11/17/2009)

Date Considered:

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /ZD/